

04-067 THE PORTER MULTI-PURPOSE RACK INSTALLATION INSTRUCTIONS

WILL FIT MADJAX® GENESIS 250/300 SEAT KITS
& GTW® DELUXE REAR SEAT GRAB BAR (01-200)



HARDWARE INCLUDED

- (2) Bolts
- (2) Washers
- (2) Nuts
- (2) Adjustable Mounts
- (2) Hand-Tightening Screws
- (1) Porter Bracket
- (1) Adjustable Strap

TOOLS NEEDED

- 17mm Wrench
- Phillips Head Screwdriver


WARNING: WE RECOMMEND PROFESSIONAL INSTALLATION. IF YOU CHOOSE TO NOT HAVE THIS PRODUCT INSTALLED BY A PROFESSIONAL, WE HIGHLY RECOMMEND THAT YOU EXERCISE CAUTION, CARE, AND PATIENCE WHEN INSTALLING THIS PRODUCT.

STEP 1:




17mm Wrench
Phillips Head Screwdriver


Use the (2) bolts, (2) nuts, and (2) washers to connect the adjustable holders to the bracket:




Insert bolts into the adjustable mounts.



Insert the bolts and adjustable mounts into the mounting holes of The Porter bracket.




Use a washer and nut to secure the bolt and adjustable mount to The Porter bracket.



Use a 17mm wrench and screwdriver to to tighten the nut and bolt to The Porter bracket.

STEP 2:

Loosen the hand-tightening screws to remove the lower brackets of the adjustable mounts.



STEP 3:

Slide the mounts onto the MadJax® Genesis Grab Bar accessory mount until centered.



STEP 4:

Reinstall the bottom bracket of the adjustable mounts. Hand tighten until firmly secured.



STEP 5:

Use the provided strap to secure your gear to The Porter.



INSTALLATION COMPLETE

PLEASE NOTE

Under normal driving conditions, The Porter Multi-Purpose Rack is rated to hold no more than 50lbs. Please ensure all equipment is secured to the rack before driving your vehicle.